

DCE-S 10/12 Plus

COMPACT INSTANTANEOUS WATER HEATER

PRODUCT-NO.: 238154

Compact DCE-S Plus instantaneous water heater – For easy showering pleasure.

With its high efficiency and output, the DCE-S Plus offers a reliable and constant supply of hot water for several smaller draw-off points (hand washbasins) or one larger one (shower).

As efficient as it is compact.

The rotary selector quickly enables accurate temperature delivery between 20 and 60 °C. The temperature can be selected variably, either in °C or °F. The rotary selector makes operation extremely easy.



The main features

Electronically controlled compact instantaneous water heater with 3i technology

Very good energy efficiency thanks to electronic output control

Precise temperature selection from 20 °C to 60 °C

Permanently selectable temperature limit can be set to 43 °C, 50 °C or 55 °C

Suitable for showers

Good price/performance ratio



Type	DCE-S 6/8 Plus	DCE-S 10/12 Plus
Part no.	238153	238154
Rated output	6,0/8,0 kW	10,0/12,0 kW
Height	372 mm	372 mm
Width	217 mm	217 mm
Depth	109 mm	109 mm

Technical data

Rated voltage 1	220 V	220 V
Rated output 1	6,0/8,0 kW	10,0/12,0 kW
Rated current 1	27,3/36,4 A	45,5/54,5 A
Fuse 1	30/40 A	50/60 A
Frequency 1	50/60 Hz	50/60 Hz
Rated voltage 2	230 V	230 V
Rated output 2	6,6/8,7 kW	11,0/13,1 kW
Rated current 2	28,5/38,0 A	47,8/57,0 A
Fuse 2	30/40 A	50/60 A
Frequency 2	50/60 Hz	50/60 Hz
Rated voltage 3	240 V	240 V
Rated output 3	7,2/9,6 kW	12,0/14,3 kW
Rated current 3	30,0/40,0 A	50,0/59,5 A
Fuse 3	30/40 A	50/60 A
Frequency 3	50/60 Hz	50/60 Hz
Phases	1/N/PE	1/N/PE
Temperature adjustment	20-60 °C	20-60 °C
Specific resistance $\rho_{15} \geq$	1100 Ω cm	1100 Ω cm

Specific conductivity $\sigma_{15} \leq$	910 $\mu S/cm$	910 $\mu S/cm$
Energy efficiency class	A	A
Colour	white	white
IP-Rating	IP25	IP25
Weight	2,5 kg	2,5 kg

Contact information

You have questions? We appreciate to help you:

Call **+49 5531 - 7020**

Write an email to **info@stiebel-eltron.com**

Installation information

Please ask your local power supply utility or a registered electrician to install appliances that are not fully wired, i.e. ready to plug in. The electrician should also be able to assist you with obtaining the agreement of the respective power supply utility required for the appliance installation.